Contents of Volume 92

PAGE

ALLEN, A. S., SATTEN, G. A. and TSIATIS, A. A. Locally-efficient robust estimation of haplotype-disease association in family-based studies 559

ATAY-KAYIS, A. and MASSAM, H. A Monte Carlo method for computing the marginal likelihood in nondecomposable Gaussian graphical models . . 317

BEHSETA, S., KASS, R. E. and WALLSTROM, G. L. Hierarchical models for assessing variability among functions 419

BENHIN, E., RAO, J. N. K. and SCOTT, A. J. Mean estimating equation approach to analysing cluster-correlated data with nonignorable cluster sizes . . 435

BESAG, J. and MONDAL, D. First-order intrinsic autoregressions and the de Wijs process 909

BISCHOFF, W. and MILLER, F. Adaptive two-stage test procedures to find the best treatment in clinical trials 197

BLANCHARD, S. (See VAIDA, F.)

BONDELL, H. D. Minimum distance estimation for the logistic regression model 724

BOOKSTEIN, F. L. (See MARDIA, K. V.)

BREIDT, F. J., CLAESKENS, G. and OPSOMER, J. D. Model-assisted estimation for complex surveys using penalised splines 831

BROWN, B. M. and WANG, Y.-G. Standard errors and covariance matrices for smoothed rank estimators 149

BÜHLMANN, P. (See MEINSHAUSEN, N.)

BUTLER, N. A. Generalised minimum aberration construction results for symmetrical orthogonal arrays 485

CAI, J., FAN, J., LI, R. and ZHOU, H. Variable selection for multivariate failure time data 303

CAI, T., TIAN, L. and WEI, L. J. Semiparametric Box–Cox power transformation models for censored survival observations 619

CAROLAN, C. A. and TEBBS, J. M. Nonparametric tests for and against likelihood ratio ordering in the two-sample problem 159

CAROTA, C. Symmetric diagnostics for the analysis of the residuals in regression models 787

CARROLL, R. J. (See CHATTERJEE, N.)

CHAN, N. H. and PENG, L. Weighted least absolute deviations estimation for an AR(1) process with ARCH(1) errors 477

CHATTERJEE, N. and CARROLL, R. J. Semiparametric maximum likelihood estimation exploiting gene-environment independence in case-control studies . 399

CHEN, K. and JIN, Z. Local polynomial regression analysis of clustered data . 59

CHEN, Y. Q. and CHENG, S. Semiparametric regression analysis of mean residual life with censored survival data 19

CHENG, S. (See CHEN, Y. Q.)

CHENG, Y. and SHEN, Y. Bayesian adaptive designs for clinical trials . . . 633

CHERVONEVA, I. and IGLEWICZ, B. Orthogonal bases approach for comparing non-normal continuous distributions 679

CHEUNG, Y. K. Coherence principles in dose-finding studies 863
CLAESKENS, G. (See BREIDT, F. J.)
CLAESKENS, G. (See CRAINICEANU, C.)
COOK, R. D. (See NI, L.)
COOK, R. D. (See YIN, X.)
COPE, L. (See DOMINICI, F.)
CRAINICEANU, C., RUPPERT, D., CLAESKENS, G. and WAND, M. P. Exact likelihood ratio tests for penalised splines 91
DATTA, G. S. An alternative derivation of the distributions of the maximum likelihood estimators of the parameters in an inverse Gaussian distribution 975
DATTA, G. S., RAO, J. N. K. and SMITH, D. D. On measuring the variability of small area estimators under a basic area level model 183
DEVANARAYAN, V. (See STEFANSKI, L. A.)
DOMINICI, F., COPE, L., NAIMAN, D. Q. and ZEGER, S. L. Smooth quantile ratio estimation 543
DUNSON, D. B. (See PEDDADA, S. D.)
ELMORE, R. (See HALL, P.)
FAN, J. (See CAI, J.)
FANG, K.-T. and MUKERJEE, R. Expected lengths of confidence intervals based on empirical discrepancy statistics 499
FITZMAURICE, G. M. (See PARZEN, M.)
FREDETTE, M. (See LAWLESS, J. F.)
GAO, G. and TSIATIS, A. A. Semiparametric estimators for the regression coefficients in the linear transformation competing risks model with missing cause of failure 875
GASSER, T. (See GERVINI, D.)
GERVINI, D. and GASSER, T. Nonparametric maximum likelihood estimation of the structural mean of a sample of curves 801
GÖNEN, M. and HELLER, G. Concordance probability and discriminatory power in proportional hazards regression 965
HA, I. D. and LEE, Y. Comparison of hierarchical likelihood versus orthodox best linear unbiased predictor approaches for frailty models 717
HALL, P. and OPSOMER, J. D. Theory for penalised spline regression 105
HALL, P. and QIU, P. Discrete-transform approach to deconvolution problems . 135
HALL, P., NEEMAN, A., PAKYARI, R. and ELMORE, R. Nonparametric inference in multivariate mixtures 667
HELLER, G. (See GÖNEN, M.)
HIRUKAWA, J. (See TANIGUCHI, M.)
HO, Y. H. S. and LEE, S. M. S. Calibrated interpolated confidence intervals for population quantiles 234
HSIEH, F. (See TSENG, Y.-K.)
HUGGINS, R. (See HWANG, W.-H.)
HWANG, W.-H. and HUGGINS, R. An examination of the effect of heterogeneity on the estimation of population size using capture-recapture data . . . 229
IGLEWICZ, B. (See CHERVONEVA, I.)
JEWELL, N. P., VAN DER LAAN, M. and LEI, X. Bivariate current status data with univariate monitoring times 847
JIN, Z. (See CHEN, K.)

JOHNSON, B. A. and TSIATIS, A. A. Semiparametric inference in observational duration-response studies, with duration possibly right-censored . . . 605
JONES, B. and WEST, M. Covariance decomposition in undirected Gaussian graphical models 779
KASS, R. E. (See BEHSETA, S.)
KENT, J. T. and MARDIA, K. V. Amendments and Corrections to 'Shape, Procrustes tangent projections and bilateral symmetry'. *Biometrika* (2001), **88**, pp. 469–485 249
KLEIN, J. P. (See SHU, Y.)
KOHN, R. (See NOTT, D. J.)
KOLACZYK, E. D. and NOWAK, R. D. Multiscale generalised linear models for nonparametric function estimation 119
KUME, A. and WOOD, A. T. A. Saddlepoint approximations for the Bingham and Fisher–Bingham normalising constants 465
LAM, K. F. and XUE, H. A semiparametric regression cure model with current status data 573
LAWLESS, J. F. and FREDETTE, M. Frequentist prediction intervals and predictive distributions 529
LEE, S. M. S. (See HO, Y. H. S.)
LEE, Y. (See HA, I. D.)
LEI, X. (See JEWELL, N. P.)
LI, G. and LI, W. K. Diagnostic checking for time series models with conditional heteroscedasticity estimated by the least absolute deviation approach . . 691
LI, R. (See CAI, J.)
LI, W. K. (See LI, G.)
LIANG, H. (See ZHOU, Y.)
LIJOI, A. (See WALKER, S. G.)
LINDQVIST, B. H. and TARALDSEN, G. Monte Carlo conditioning on a sufficient statistic 451
LIPSITZ, S. R. (See PARZEN, M.)
MARDIA, K. V., BOOKSTEIN, F. L. and MORETON, I. J. Amendments and Corrections to 'Statistical assessment of bilateral symmetry of shapes'. *Biometrika* (2000), **87**, pp. 285–300 249
MARDIA, K. V. (See KENT, J. T.)
MARSHALL, A. W. and OLKIN, I. Amendments and Corrections to 'A new method for adding a parameter to a family of distributions with application to the exponential and Weibull families'. *Biometrika* (1997), **84**, pp. 641–652 . . 505
MASSAM, H. (See ATAY-KAYIS, A.)
MCDONALD, J. W. (See SALGUEIRO, M. F.)
MEINSHAUSEN, N. and BÜHLMANN, P. Lower bounds for the number of false null hypotheses for multiple testing of associations under general dependence structures 893
MILLER, F. (See BISCHOFF, W.)
MONDAL, D. (See BESAG, J.)
MORETON, I. J. (See MARDIA, K. V.)
MUKERJEE, R. (See FANG, K.-T.)
MÜLLER, H.-G. (See ŞENTÜRK, D.)
NAIMAN, D. Q. (See DOMINICI, F.)

NEEMAN, A. (See HALL, P.)
NI, L., COOK, R. D. and TSAI, C.-L. A note on shrinkage sliced inverse regression 242
NOTT, D. J. and KOHN, R. Adaptive sampling for Bayesian variable selection . 747
NOVICK, S. J. (See STEFANSKI, L. A.)
NOWAK, R. D. (See KOLACZYK, E. D.)
OLKIN, I. (See MARSHALL, A. W.)
OPSOMER, J. D. (See BREIDT, F. J.)
OPSOMER, J. D. (See HALL, P.)
PAKYARI, R. (See HALL, P.)
PARZEN, M., LIPSITZ, S. R. and FITZMAURICE, G. M. A note on reducing the bias of the approximate Bayesian bootstrap imputation variance estimator 971
PEDDADA, S. D., DUNSON, D. B. and TAN, X. Estimation of order-restricted means from correlated data 703
PENG, L. (See CHAN, N. H.)
PRENTICE, R. (See YANG, S.)
PRÜNSTER, I. (See WALKER, S. G.)
QIN, J. and ZHANG, B. Marginal likelihood, conditional likelihood and empirical likelihood: Connections and applications 251
QIN, J. and ZHANG, B. Amendments and Corrections to 'Using logistic regression procedures for estimating receiver operating characteristic curves'. *Biometrika* (2003), **90**, pp. 585–596 250
QIU, P. (See HALL, P.)
RAO, J. N. K. (See BENHIN, E.)
RAO, J. N. K. (See DATTA, G. S.)
RICHARDSON, S. (See SEAMAN, S. R.)
RITZ, C. and SKOVGAARD, I. M. Likelihood ratio tests in curved exponential families with nuisance parameters present only under the alternative . . 507
RUPPERT, D. (See CRAINICEANU, C.)
SALGUEIRO, M. F., SMITH, P. W. F. and MCDONALD, J. W. Power of edge exclusion tests in graphical Gaussian models 173
SATTEN, G. A. (See ALLEN, A. S.)
SCHENNACH, S. M. Bayesian exponentially tilted empirical likelihood . . . 31
SCHOTT, J. R. Testing for complete independence in high dimensions . . . 951
SCOTT, A. J. (See BENHIN, E.)
SEAMAN, S. R. and RICHARDSON, S. Amendments and Corrections to 'Equivalence of prospective and retrospective models in the Bayesian analysis of case-control studies'. *Biometrika* (2004), **91**, pp. 15–25 505
ŞENTÜRK, D. and MÜLLER, H.-G. Covariate-adjusted regression 75
SHEN, Y. (See CHENG, Y.)
SHU, Y. and KLEIN, J. P. Additive hazards Markov regression models illustrated with bone marrow transplant data 283
SKOVGAARD, I. M. (See RITZ, C.)
SMITH, D. D. (See DATTA, G. S.)
SMITH, P. W. F. (See SALGUEIRO, M. F.)
STANGHELLINI, E. and WERMUTH, N. On the identification of path analysis models with one hidden variable 337
STEFANSKI, L. A., NOVICK, S. J. and DEVANARAYAN, V. Estimating a nonlinear function of a normal mean 732

STEPHENSON, A. and TAWN, J. Exploiting occurrence times in likelihood inference for componentwise maxima 213
STRAWDERMAN, R. L. The accelerated gap times model 647
SWEETING, T. J. On the implementation of local probability matching priors for interest parameters 47
TAN, X. (See PEDDADA, S. D.)
TANIGUCHI, M. and HIRUKAWA, J. The Stein–James estimator for short- and long-memory Gaussian processes 737
TARALDSEN, G. (See LINDQVIST, B. H.)
TAWN, J. (See STEPHENSON, A.)
TEBBS, J. M. (See CAROLAN, C. A.)
TIAN, L. (See CAI, T.)
TIAN, L. (See UNO, H.)
TONG, T. and WANG, Y. Estimating residual variance in nonparametric regression using least squares 821
TSAI, C.-L. (See NI, L.)
TSENG, Y.-K., HSIEH, F. and WANG, J.-L. Joint modelling of accelerated failure time and longitudinal data 587
TSIATIS, A. A. (See ALLEN, A. S.)
TSIATIS, A. A. (See GAO, G.)
TSIATIS, A. A. (See JOHNSON, B. A.)
UNO, H., TIAN, L. and WEI, L. J. The optimal confidence region for a random parameter 957
VAIDA, F. and BLANCHARD, S. Conditional Akaike information for mixed-effects models 351
VAN DER LAAN, M. (See JEWELL, N. P.)
VARIN, C. and VIDONI, P. A note on composite likelihood inference and model selection 519
VIDONI, P. (See VARIN, C.)
WALKER, S. G., LIJOI, A. and PRÜNSTER, I. Data tracking and the understanding of Bayesian consistency 765
WALLSTROM, G. L. (See BEHSETA, S.)
WAND, M. P. (See CRAINICEANU, C.)
WANG, J.-L. (See TSENG, Y.-K.)
WANG, Y. (See TONG, T.)
WANG, Y.-G. (See BROWN, B. M.)
WEI, L. J. (See CAI, T.)
WEI, L. J. (See UNO, H.)
WERMUTH, N. (See STANGHELLINI, E.)
WEST, M. (See JONES, B.)
WOOD, A. T. A. (See KUME, A.)
XU, H. Some nonregular designs from the Nordstrom–Robinson code and their statistical properties 385
XUE, H. (See LAM, K. F.)
YANG, S. and PRENTICE, R. Semiparametric analysis of short-term and long-term hazard ratios with two-sample survival data 1
YANG, Y. Can the strengths of AIC and BIC be shared? A conflict between model identification and regression estimation 937

YIN, X. and COOK, R. D. Direction estimation in single-index regressions . . 371
ZEGER, S. L. (See DOMINICI, F.)
ZHANG, B. (See QIN, J.)
ZHANG, H. and ZIMMERMAN, D. L. Towards reconciling two asymptotic frameworks in spatial statistics 921
ZHOU, H. (See CAI, J.)
ZHOU, M. Empirical likelihood analysis of the rank estimator for the censored accelerated failure time model 492
ZHOU, Y. and LIANG, H. Empirical-likelihood-based semiparametric inference for the treatment effect in the two-sample problem with censoring . . . 271
ZIMMERMAN, D. L. (See ZHANG, H.)